

# Avery Dennison® Clima Vista Architectural Window Film

Issued 02/2026

## Introduction


The Avery Dennison® Clima Vista range of interior films with Nano technology for long lasting colour stability and exceptional solar protection. This films reduces glare and solar heat, Dual purpose film primarily designed to maintain a clear view at night time and daytime privacy.

## Recommendations


The Avery Dennison® Clima Vista Film Series is designed for interior applications. Nanotechnology is used to filter undesired infrared radiation while allowing visible light to pass through and maintaining colour stability.



**Face Film**  
2 Ply Lamine Polyester  
Structure Black/Grey



**Adhesive**  
Pressure sensitive Permanent –  
Solvent based acrylic



**Backing**  
PET



**Durability**  
Vertical Exposure: 6 years<sup>1</sup>



**Shelf Life**  
2 years from the date of manufacturing.  
Recommended Storage conditions are 25 °C  
(±10 °C) with 50 %RH (± 5%).

## Features

- Outstanding glare control for enhance comfort
- Excellent Level of heat rejection for enhanced comfort and reduced cooling cost
- > 99% UV Block reduces fading and damage from the sun
- Provide dual purpose clear view out at night and daytime privacy

## Conversion

For conversion information please review the Technical Bulletin “AD Solar Window Films Interior”.

### 1) Expected Durability

The durability is based on Asia Pacific exposure conditions. Actual performance life will depend on substrate preparation, exposure conditions and maintenance of the marking. For instance, in the case of signs facingsouth; in areas of high temperature exposure such as southern part countries; in industrially polluted areas or high altitudes, exterior performance will be decreased.

## Physical Characteristics

### Optical & Solar Properties

	CV 1585i	CV 2580i	CV 3565i
Visible Light Transmitted %	16%	24%	34%
Visible Light Reflected (Int) %	10%	14%	8%
Visible Light Reflected (Ext) %	32%	30%	12%
UV Block %	>99%	>99%	>99%
Solar Energy Reflected %	28%	28%	28%
Solar Energy Transmitted %	17%	22%	35%
Solar Energy Absorbed %	55%	50%	52%
Shading Coefficient	0.36	0.39	0.55
Total Solar Energy Rejected %	68%	63%	51%
Solar Heat Gain Coefficient	0.32	0.34	0.49
Emissivity (Room side)	0.75	0.75	0.82
U-Value Winter	5.85	5.85	5.85
Glare Reduction %	82%	76%	65%
Luminous Efficacy	0.46	0.57	0.62
IRR (780~2500nm)	83%	80%	64%

Note: Data is based on film applied to 6mm clear glass

#### Important

Information on physical characteristics is based upon tests we believe to be reliable. The values listed herein are typical values and are not for use in specifications. They are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of any material for their specific use.

All technical data is subject to change without prior notice.



Avery Dennison warrants that its Products meet its specifications. Avery Dennison gives no other express or implied guarantees or warranties with respect to the Products, including but not limited to, any implied warranties of merchantability, fitness for any particular use and/or non infringement. All Avery Dennison products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purposes. The period of warranty is one (1) year from the date of shipment unless expressly provided otherwise in the product data sheet. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <https://graphicsap.averydennison.com/terms>. Avery Dennison's aggregate liability to Purchaser, whether for negligence, breach of contract, misrepresentation or otherwise, shall in no circumstances exceed the price of the defective, non-conforming, damaged or undelivered Products which give rise to such liability as determined by net price invoices to Purchaser in respect of any occurrence or series of occurrences. In no circumstances shall Avery Dennison be liable to Purchaser for any indirect, incidental or consequential loss, damage or injury, including without limitation, loss of anticipated profits, goodwill, reputation, or losses or expenses resulting from third party claims. © 2026 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.