



# DS White i - Design Interior Films

Decorative and functional films for privacy and distinction



DS White i interior privacy window films are ideal for hiding unattractive views or for disguising features that spoil the external appearance of glass-fronted buildings.

Optical and Solar Properties**	DS White i	
Item Number	R073WO	
Pane	Single	Double
Visible Light Transmitted	10%	10%
Visible Light Reflected (Exterior)	48%	50%
Ultra Violet Block	99%	99%
Total Solar Energy Reflected	36%	34%
Total Solar Energy Transmitted	17%	15%
Total Solar Energy Absorbed	47%	51%
Emissivity (Room Side)	0.90	0.90
Glare Reduction	89%	89%
Selective InfraRed Reduction (SIRR)	98%	98%
InfraRed Energy Rejection (IRER)	62%	62%
Shading Coefficient	0.37	0.49
Solar Heat Gain Coeff. (G-Value)	0.31	0.42
U-Value Winter (IP)	1.07	0.49
U-Value Winter (SI)	6.08	2.78
Luminous Efficacy	0.27	0.19
Total Solar Energy Rejected (%)	69%	58%

\*\* Performance results are calculated on 3 mm glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards and are only intended for estimating purposes.

S93020 4/19

**Avery Dennison Graphics Solutions**

Norton Parkway 8080

Mentor, Ohio 44060

T: 1-800-660-5559

[windowfilm.orders@averydennison.com](mailto>windowfilm.orders@averydennison.com)



Graphics Solutions