

Avery Dennison
Graphics Solutions
Product Overview

Asia Pacific - ANZ
March 2023

MPI 1105 Easy Apply RS™ Wrap Solution

Market leading performance.
Supreme 3D conformability.
Stunning printability.



The ultimate digital print wrap solution - MPI 1105 Easy Apply RS™ brings to life premium-quality images that can be applied effortlessly to the most intricate 3D surfaces. With outstanding durability, backed by the Avery Dennison ICS Warranty, MPI 1105 EA RS™ is the market leading digital wrap solution.

Key Features and Benefits

- Stunning print quality across all digital print platforms, resulting in endless creative possibilities
- RS™ Technology allows the film to slide smoothly on surface for exact positioning
- A low initial tack level enables the graphics to be repositioned during application
- Easy Apply adhesive system with air egress channels helps easily eliminate bubbles resulting in wrinkle free application.
- Outstanding outdoor durability with a number of overlamine options all supported by the Avery Dennison ICS Warranty.
- Long term removability facilitating clean & quick removal



Premium Digital Overlaminates


To provide your MPI 1105 Easy Apply RS™ printed graphics with the best protection, Avery Dennison has a comprehensive range of premium digital overlaminates. These pressure-sensitive clear films deliver great looks, durability, protection and easy application. With a number of different finishes and options available, we've got you covered.

Product information

Digital Overlamine	Finish	Material	Liner	Conformability	ICS Warranty	
					Vertical	Horizontal
DOL 6460	High Gloss Conformable	PU (PVC-free)	PET	Deep Recesses / Corrugations	6	3
DOL 1460Z	Gloss Conformable	Cast PVC	PET	Deep Recesses / Corrugations	5	-
DOL 1480Z	Matte Conformable	Cast PVC	PET	Deep Recesses / Corrugations	5	-
DOL 1060Z	Gloss	Cast PVC	PET	Compound Curves	5	-

Recommended Uses

- Full or partial vehicle wraps
- Vehicle and truck branding
- Durable signage
- Boat wraps and graphics



For more information, contact Avery Dennison customer service or your sales representative, or visit graphicsap.averydennison.com

Connect with us on: [in](#) [@](#) [f](#)



DISCLAIMER – © 2023 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison. All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see terms.averydennison.com