

Avery Dennison PPF Xtreme Series

Extreme Paint Protection.
Ultimate Performance.



Supreme protection with effortless application

Avery Dennison's PPF Xtreme series delivers a virtually invisible shield that guards your vehicle against daily wear and tear while maintaining the integrity of the original factory paint. Engineered with advanced TPU technology, this premium film offers exceptional installation performance, long-lasting durability, and excellent protection. To meet a wide variety of protective and aesthetic needs, the product portfolio includes **PPF Xtreme Gloss**, **PPF Xtreme Satin**, and the newly expanded **PPF Xtreme XL Gloss**.



PPF Xtreme Gloss

PPF Xtreme Gloss delivers a deep, wet-look shine that turns heads. Its self-healing technology erases scratches, while superior hydrophobicity and stain resistance keep your paint flawless. Nearly invisible, endlessly durable, it protects your car's finish, preserving that showroom shine for years to come.



PPF Xtreme XL Gloss

Expanding the possibilities of paint protection, PPF Xtreme Gloss is now available in a wider **1.83-metre width**. This expanded format is engineered specifically for the broad panels of modern vehicles, such as large SUVs, trucks, and wide performance cars. By eliminating the need for joins or visible lines, the XL size ensures flawless, seamless coverage and an uninterrupted finish on larger vehicle bonnets.




PPF Xtreme Satin

PPF Xtreme Satin is the ultimate solution for protecting unique OEM finishes, including satin, matte, magno, and frozen paints, while also giving standard gloss paint a luxurious satin transformation.. It shields the surface from scratches and chips while adding an extra layer of visual appeal to preserve your vehicle's stylish satin matte finish.



Key Features



Excellent installation with **RAPID EDGE™ technology**

Wraps around edges effortlessly and significantly increases application speed. It eliminates the need for additional chemicals—installers can simply use warm water to lock down edges quickly and effectively.



Excellent stain resistance

The films are virtually invisible and non-yellowing, providing superior protection against environmental contaminants like insect strikes, bird droppings, and general fallout



12-Year limited warranty

Designed and tested for extreme environments, the complete Xtreme series is built for the long haul and backed by a comprehensive 12-year warranty.



Outstanding Scratch Protection

Features effortless self-healing technology where minor scratches and scuff marks easily disappear and resolve with ambient heat.



Xtreme finish, your choice

The portfolio enhances your vehicle's appearance, whether you want an ultra-gloss, showroom-quality finish with Xtreme Gloss, or choose to preserve or transform your paint to a luxurious satin finish with Xtreme Satin.



Advanced Hydrophobicity

Engineered to be highly hydrophobic, the film actively repels water, making routine vehicle cleaning easier and more effective.

Product information

Product	Finish	Colour	Warranty	Thickness	Dimensions	Topcoat Technology
PPF Xtreme Gloss	High Gloss	Ultra clear	12 years*	7.5 mil / 190 micron	1.524m x 15m	XProof™
PPF Xtreme XL Gloss	High Gloss	Ultra clear	12 years*	7.5 mil / 190 micron	1.83m x 15m	XProof™
PPF Xtreme Satin	Satin	Ultra clear	12 years*	7.5 mil / 190 micron	1.524m x 15m	XProof™

* Zone 2 :12 years horizontal & Zone 3: 10 years horizontal



For more information, contact Avery Dennison customer service or your sales representative, or visit graphics.averydennison.com/apac



#MakingPossible

© 2026 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, product names and codes are trademarks of Avery Dennison Corporation. All other brands or product names are trademarks of their respective owners. Fortune 500® is a trademark of Time, Inc. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental.