

## SAFETY DATA SHEET

# AD SUPREME WRAP CARE POWER CLEANER

Infosafe No.: LQAIS
ISSUED Date: 01/02/2021
ISSUED by: AVERY DENNSION

## 1. IDENTIFICATION

#### **GHS Product Identifier**

AD SUPREME WRAP CARE POWER CLEANER

#### **Company Name**

**AVERY DENNSION (ABN 9200 7706 934)** 

#### **Address**

9 George Bourke Drive Mt Wellington Auckland 1060 NEW ZEALAND

## **Emergency phone number**

National Poisons Centre NZ: 0800 764 766

#### **E-mail Address**

safety@ap.averydennison.com

## Recommended use of the chemical and restrictions on use

For use in the vehicle care industry. Cleaning agent.

#### Disclaimer

Disclaimer: Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Avery Dennison Materials Pty Ltd, makes no representations as to the completeness or accuracy thereof. Information is supplied on the conditions that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Avery Dennison Materials Pty Ltd or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

## 2. HAZARD IDENTIFICATION

## GHS classification of the substance/mixture

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017, New Zealand. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

6.3A Substance that is irritating to the skin

8.3A Substance that is corrosive to ocular tissue

9.1C Substance that is harmful in the aquatic environment

9.1D Substance that is slightly harmful to the aquatic environment or is otherwise designed for biocidal action

## Signal Word (s)

**DANGER** 

## **Hazard Statement (s)**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

## Pictogram (s)

Exclamation mark, Corrosion



## Precautionary statement - Prevention

P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280d Wear protective gloves.

P280e Wear eye protection/face protection.

## Precautionary statement - Response

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

## Precautionary statement - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

Name	CAS	Proportion	
Alcohols, C9-C11, Ethoxylated	68439-46-3	5-<10 %	
Sodium xylenesulphonate	1300-72-7	3-<5 %	
propan-2-ol	67-63-0	3-<5 %	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	308062-28-4	1-<3 %	
Ingredients determined not to be hazardous		Balance	

#### 4. FIRST-AID MEASURES

#### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

#### Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

## Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

## **First Aid Facilities**

Eyewash, safety shower and normal washroom facilities.

## **Advice to Doctor**

Treat symptomatically.

## Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (0800 764 766)

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Carbon dioxide, dry chemical or foam.

#### **Hazards from Combustion Products**

Under fire conditions this product will emit toxic and/or irritating fumes including carbon monoxide, Sulphurous gases, ammonia or amines, hydrocarbons, carbon dioxide, and oxides of nitrogen.

#### **Specific Hazards Arising From The Chemical**

This product will burn if exposed to fire. This product does not sustain combustion.

## **Decomposition Temperature**

Not available

#### **Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

## **6. ACCIDENTAL RELEASE MEASURES**

#### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

## Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from sources of ignition, foodstuffs, clothing and incompatible materials such as oxidising agents. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Propan-2-ol

TWA: 400 ppm, 983 mg/m<sup>3</sup> STEL: 500 ppm, 1230 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-

hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Source: Workplace Exposure Standards and Biological Exposure Indices.

## **Biological Limit Values**

Name: Propan-2-ol Determinant: Acetone Specimen: urine

Sampling time: End of shift at end of work week.

Value: 40 mg/L Notation: Ns, B

Source: American Conference of Industrial Hygienists (ACGIH)

## **Appropriate Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

## **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### **Eye Protection**

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

## **Hand Protection**

Wear gloves of impervious material such as nitrile rubber. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

## **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Liquid	Appearance	Liquid
Colour	Colorless, clear	Odour	Pleasant, agreeable
Decomposition Temperature	Not available	Freezing Point	Not available
<b>Boiling Point</b>	>100 °C (760 mmHg)	Solubility in Water	Completely soluble
Specific Gravity	~1.01 (20°C)	рН	8 (concentrated solution)
Vapour Pressure	Not available	Vapour Density (Air=1)	>1
Evaporation Rate	Not available	Odour Threshold	Not available
Viscosity	Not available	Volatile Component	This product contains a maximum VOC content of 40 g/L.
Partition Coefficient: n- octanol/water	Not available	Flash Point	44 °C (Tag closed cup). This product does not sustain combustion.
Flammability	Not flammable	Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available	Flammable Limits - Upper	Not available

#### 10. STABILITY AND REACTIVITY

## Reactivity

There are no known reactivity hazards associated with this product.

## **Chemical Stability**

Stable under normal conditions of storage and handling.

## **Reactivity and Stability**

Reacts with incompatible materials.

## **Conditions to Avoid**

Heat, open flames and other sources of ignition.

## **Incompatible materials**

Strong oxidizing agents.

## **Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide, Sulphurous gases, ammonia or amines, hydrocarbons, carbon dioxide, and oxides of nitrogen.

## Possibility of hazardous reactions

Reacts with incompatible materials.

## **Hazardous Polymerization**

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

## **Toxicology Information**

Toxicity data for material given below.

## **Acute Toxicity - Oral**

ATE: 10266.46 mg/kg

#### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

#### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

#### Skin

Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

#### Eve

Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

## Respiratory sensitisation

Not expected to be a respiratory sensitiser.

## **Skin Sensitisation**

Not expected to be a skin sensitiser.

## Germ cell mutagenicity

Not considered to be a mutagenic hazard.

#### Carcinogenicity

Not considered to be a carcinogenic hazard.

Propan-2-ol is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

## **Reproductive Toxicity**

Not considered to be toxic to reproduction.

## STOT-single exposure

Not expected to cause toxicity to a specific target organ.

## STOT-repeated exposure

Not expected to cause toxicity to a specific target organ.

## **Aspiration Hazard**

Not expected to be an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

## Persistence and degradability

Not available

## Mobility

The product is water-soluble and may spread in water system. The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

## **Bioaccumulative Potential**

Not available

## **Other Adverse Effects**

Not available

## **Environmental Protection**

Prevent this material entering waterways, drains and sewers.

#### 13. DISPOSAL CONSIDERATIONS

## **Disposal considerations**

**Product Disposal:** 

Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. In this specific case the product is a

combustible substance and therefore can be sent to an approved high temperature incineration plant for disposal.

Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must also be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed.

Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected.

In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Notice (2017). Further details regarding disposal can be obtained on the EPA New Zealand website under specific group standards.

## Container Disposal:

The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service.

Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous.

In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

## 14. TRANSPORT INFORMATION

#### **Transport Information**

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:{2012}Transport of Dangerous Goods on Land.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## **U.N. Number**

None Allocated

## **UN proper shipping name**

None Allocated

## Transport hazard class(es)

None Allocated

## **IMDG Marine pollutant**

No

## **Transport in Bulk**

Not available

## **Special Precautions for User**

Not available

## **15. REGULATORY INFORMATION**

## **Regulatory information**

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Notice (2017), New Zealand

Group Standard: Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017.

Tolerable exposure limit Not available

Environmental exposure limit Not available

Certified handler Not available

Tracking

Not available

Controlled substance licence requirements Not available

Montreal Protocol Not Listed

Stockholm Convention Not Listed

Rotterdam Convention Not Listed

Agricultural Compounds, including Veterinary Medicines (ACVM): Not available

**HSNO Approval Number** 

HSR002670

#### 16. OTHER INFORMATION

## Date of preparation or last revision of SDS

SDS created: February 2021

#### References

Hazardous Substances and New Organisms Act.

Health and Safety at Work (Hazardous Substances) Regulations.

Workplace Exposure Standards and Biological Exposure Indices.

Agricultural Compounds and Veterinary Medicines Act 1997.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Transport of Dangerous goods on land NZS 5433.

Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 09-06).

Assigning a hazardous substance to a group standard.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

## **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.