

Avery Dennison® Wrapping Display



In this instruction manual you will find advice on how to assemble and/or mount (optional) the Avery Dennison Wrapping Display. This display can be mounted onto walls, or simply rested against a wall or other vertical support.




Please always make sure to test the substrate, tools and the surrounding prior to wall mounting or placing the Avery Dennison Wrapping Display.

Note:

No mounting hardware is provided, please use mounting hardware appropriate to the wall material present.

What is in the box



Dimensions



82,5 x 77,5 cm (w/h)

Mounting the wall strip

Mount the wall mounting strip onto an appropriate wall. Make sure the wall mounting strip is level and securely fastened to the wall.


Note that no mounting hardware is provided, so please use mounting hardware suitable for the wall material. The Wrapping Wall Display is easily put in place by sliding it down onto the wall mounting strip.

Mounting example and measurements




Adding the wire shelf


Step 1 Line up the prongs of the wire shelf, and insert them into the holes near the lower edge of the board.



Step 2 With the prongs inserted, rotate the shelf down to secure the shelf in place.




Step 3 The shelf should hang as shown, the swatch should be stored here when not needed.





Insert sample to holder

Step 1 First pick up the sample holder and take note of its specific features.




Step 2 & 3 Choose and remove a vinyl sample from one of the Avery Dennison Wrapping Swatches (part of the set), then slide the sample into the left side of the sample holder. Ensure that the hole in the top left corner of the sample will pass under the triangular panel. The Avery Dennison logo should be in the lower left corner.




- Step 4** While holding the sample in place, push its center down into the sample holder.

Note: Place the sample in the holder without removing the liner. Application into the sample holder is not recommended!



- Step 5** While still holding the center down, press the right side of the sample down onto the right-hand side of the sample holder. Slide the right edge of the sample to the left until it fits under the ledge on the right-hand side.





- Step 6** Smooth the sample in place and check that it is secured under the left and right edges of the sample holder. Make sure the Avery Dennison logo is in the lower left corner of the sample holder. You can now repeat the steps above for all remaining display sample holders.



Attaching the holder to the display

Once a swatch sample is inserted in the sample holder, it can be attached to the display by lining up the hooks at the back with the holes in the display.



Avery Dennison® Supreme Wrapping™ Film





graphics.averydennison.eu

[Facebook](#)

[LinkedIn](#)

[Instagram](#)

DISCLAIMER — All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.europe.averydennison.com>

©2021 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison. 2021_30921EN