

Avery Dennison[®] Automotive Window Films

A collection of films for style,
comfort and solar protection

A collection of films for style, comfort and solar protection

Automotive window films have grown in popularity as car owners seek ways to customize their vehicles for improved aesthetics and privacy.


Your needs and preferences will determine which window film is the best for you.

Avery Dennison Automotive Window Films are based on over 35-years of innovation, delivering products that your business and customers can trust. Our films are durable, and consistently convey ease of application and clean removability.



Discover the full collection of Avery Dennison Automotive Window Films

Whether you are looking for a window film to be applied on a personal vehicle, commercial fleet or even on a boat, Avery Dennison will offer you the most suitable product.



Heat reduction will improve your comfort and save energy.



Solar properties will protect you against 99% of harmful UV.



Glare reduction will improve your visibility on the road.



Different shades will improve your privacy and aesthetics of your car, according to your preference.



Avery Dennison AWF HP Pro

Optical & Solar Properties¹

| Product | Ultra Violet Block | Visible Light | | Glare Reduction | Selective Infrared Rejection ² | Infrared Energy Rejection ³ | Shading Coefficient | Total Solar Energy | | | |
|-----------|--------------------|---------------|----------------------|-----------------|---|--|---------------------|--------------------|-------------|----------|----------|
| | | Transmitted | Reflected (Exterior) | | | | | Reflected | Transmitted | Absorbed | Rejected |
| HP Pro 05 | > 99% | 5% | 8% | 94% | 71% | 51% | 0.44 | 8% | 16% | 76% | 64% |
| HP Pro 15 | > 99% | 15% | 7% | 83% | 54% | 40% | 0.55 | 7% | 30% | 63% | 53% |
| HP Pro 25 | > 99% | 25% | 7% | 72% | 53% | 39% | 0.57 | 8% | 35% | 58% | 50% |
| HP Pro 35 | > 99% | 37% | 8% | 58% | 56% | 41% | 0.64 | 8% | 40% | 52% | 45% |

The cool, non-fading color tone of HP Pro automotive window films are offered in four VLT levels.




This image has been simulated and is not actual product comparison.

Avery Dennison AWF HP

Optical & Solar Properties¹

| Product | Ultra Violet Block | Visible Light | | Glare Reduction | Selective Infrared Rejection ² | Infrared Energy Rejection ³ | Shading Coefficient | Total Solar Energy | | | |
|---------|--------------------|---------------|----------------------|-----------------|---|--|---------------------|--------------------|-------------|----------|----------|
| | | Transmitted | Reflected (Exterior) | | | | | Reflected | Transmitted | Absorbed | Rejected |
| HP 05 | > 99% | 6% | 7% | 94% | 72% | 53% | 0.44 | 8% | 17% | 75% | 62% |
| HP 15 | > 99% | 14% | 7% | 85% | 56% | 42% | 0.53 | 10% | 26% | 64% | 55% |
| HP 30 | > 99% | 30% | 8% | 68% | 55% | 41% | 0.58 | 10% | 33% | 57% | 50% |
| HP 40 | > 99% | 38% | 9% | 57% | 52% | 39% | 0.63 | 10% | 39% | 51% | 46% |

*We offer common EU sizes (60" =1.524m/ 30"=0.762m/ 20"= 0.508m)



This image has been simulated and is not actual product comparison.

High Performance Films

Exceptional style and solar performance

High-performance films are made with a combination of a metal layer and a dyed film. Therefore, these films are the favorites when you are looking to improve the aesthetic of your car. They also provide a superior solar performance vs non-reflective. Within this series there are two different families: Avery Dennison AWF HP Pro, for premium aesthetics & performance and Avery Dennison AWF HP as an economical alternative.

Features & Benefits

- Superior aesthetics and durability over time. The films won't fade into purple.
- Broad range of shades to deliver you the most suitable privacy level.
- Excellent heat-shrink properties for easy installation.
- Premium heat rejection to keep your car cool and comfortable.
- Up to 94% glare reduction to improve your visibility on the road.
- 99% UV block will keep you and your passengers protected from the harmful lengths.

Application Areas

- Glass substrates:
- Private vehicles
 - Commercial fleet vehicles
 - Leisure boats




Avery Dennison AWF NR Pro

Optical & Solar Properties¹

| Product | Ultra Violet Block | Visible Light | | Glare Reduction | Selective Infrared Rejection ² | Infrared Energy Rejection ³ | Shading Coefficient | Total Solar Energy | | | |
|-----------|--------------------|---------------|----------------------|-----------------|---|--|---------------------|--------------------|-------------|----------|----------|
| | | Transmitted | Reflected (Exterior) | | | | | Reflected | Transmitted | Absorbed | Rejected |
| NR Pro 05 | > 99% | 6% | 7% | 94% | 60% | 43% | 0.50 | 7% | 25% | 68% | 57% |
| NR Pro 20 | > 99% | 22% | 7% | 76% | 50% | 37% | 0.60 | 7% | 37% | 56% | 48% |
| NR Pro 35 | > 99% | 37% | 8% | 58% | 46% | 34% | 0.68 | 7% | 45% | 48% | 41% |
| NR Pro 50 | > 99% | 52% | 8% | 39% | 39% | 29% | 0.74 | 8% | 55% | 37% | 36% |

*We offer common EU sizes (60" =1.524m/ 30"=0.762m/ 20"= 0.508m)



This image has been simulated and is not actual product comparison.

Non-Reflective

Non-Reflective films are designed to improve your privacy while maintaining a more natural appearance of the glass. This is what is called the non-mirror effect. As those are metal-free films, they will not interfere with any radio or GPS signal. The NR Pro series is boosted with nanotechnology which delivers high durability.

Features & Benefits

- Enhances style and privacy with minimal mirror effect.
- Four different shades available for the most suitable customization.
- 99% UV block will keep you and your passengers protected from the harmful lengths.
- High-end stable graphite color boosted with nanotechnology.
- Metal-free film with zero interference with electronics.

Application Areas

- Glass substrates:
- Private vehicles
 - Commercial fleet vehicles
 - Leisure boats



Excluding
AWF HP*



- ¹ For information on warranty terms, exclusions and certain limitations that apply please see the applicable product data sheets and other literature and bulletins on our european website.
- ² Performance results are calculated on 1/4" (6mm) clear glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards.
- ³ SIRR - Selective Infrared Rejection: the percentage of IR radiation that is not directly transmitted through a glazing system.
Calculated as %SIRR = 100% - % Transmission (@ 780-2500nm)
- ⁴ IRER - Infrared Energy Rejection: the percentage of Near Infrared Energy Rejection as measured between 780-2500nm.
Calculated as the TSER over 780-2500nm: %IRER = 100% - 100*SHGC (@ 780-2500nm).
- ⁵ Colors and tinting level are an approximate match. For a true color reference, please refer to the actual film sample.

graphics.averydennison.com/eu-en



#MakingPossible

DISCLAIMER – All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.europe.averydennison.com>

©2025 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.
2025-01_32913 EN